

L Number	Hits	Search Text	DB	Time stamp
1	1	templates with retrieved and map and component and file and associated and interworking and standard and inbound and document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 14:51
2	13	templates and retrieved and map and component and file and associated and interworking and standard and inbound and document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 14:55
3	3105	templates and retrieved and map and component and file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 14:56
4	1	templates with retrieved with map with component with file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 14:56
5	1	templates with retrieved with map with component and file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 14:56
6	4	templates with retrieved with map and component and file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 15:13
7	41	interworking and standard and inbound and document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 15:13
9	1	interworking with standard with inbound and document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 15:14
8	11	interworking with standard and inbound and document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 15:14
-	7	("5818725" "6721716" "6535591").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 13:50

-	18	telecommunications and terminal and device and pre-paid and amount and memory and area and configured and store and amount and money and first and profile and memory and area and processor and debit and pre-paid and amount and money and pre-paid and amount and memory area and determine and dynamic and client and profile and one and more and random and variables and previous and connections and customer and store and dynamic and client and profile and first and profile and memory and area and determine and amount and new and connections and based and dynamic and client and profile and debit and amount and new and connections and pre-paid and amount and memory and area and connection and established	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 12:42
-	888	dynamic and client and profile and telecommunications and billing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 13:51
-	11	dynamic with client with profile and telecommunications and billing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 14:12
-	0	telecommunications and terminal and device and pre-paid and amount and memory and area and configured and store and pre-paid and amount and money and first and profile and memory and area and processor and configured and debit and pre-paid and amount and money and pre-paid and amount and memory and area and determine and dynamic and client and profile and random and variables and previous and connections and customer and store and dynamic and client and profile and first and profile and memory and area and determine and amount and new and connections and based and dynamic and client and profile and debit and amount and new and connections and pre-paid and amount and memory and when and connection and established	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 14:25

-	3	<p>telecommunications and terminal and device</p> <p>and pre-paid and amount and memory and area and configured and store and pre-paid and amount and money</p> <p>and first and profile and memory and area and processor and configured and debit and pre-paid and amount and money and pre-paid and amount and memory and area</p> <p>and determine and dynamic and client and profile</p> <p>and random and variables and previous and connections and customer and store and dynamic and client and profile and first and profile and memory and area and determine and amount and new and connections and based and dynamic and client and profile</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/06/24 14:43</p>
-	3	<p>telecommunications and terminal and device</p> <p>and pre-paid and amount and memory and area and configured and store and pre-paid and amount and money</p> <p>and first and profile and memory and area and processor and configured and debit and pre-paid and amount and money and pre-paid and amount and memory and area</p> <p>and determine and dynamic and client and profile</p> <p>and random and variables and previous and connections and customer and store and dynamic and client and profile and first and profile and memory and area and determine and amount and new</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>	<p>2004/06/24 14:45</p>

-	3	telecommunications and terminal and device and pre-paid and amount and memory and area and configured and store and pre-paid and amount and money and first and profile and memory and area and processor and configured and debit and pre-paid and amount and money and pre-paid and amount and memory and area and determine and dynamic and client and profile and random and variables and previous and connections and customer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 14:57
-	4	telecommunications and terminal and device and pre-paid and amount and memory and area and configured and store and pre-paid and amount and money and first and profile and memory and area and processor and configured and debit and pre-paid and amount and money and pre-paid and amount and memory and area and determine and dynamic and client and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 14:59
-	4	telecommunications and terminal and device and pre-paid and amount and memory and area and configured and store and pre-paid and amount and money and first and profile and memory and area and processor and configured and debit and pre-paid and amount and money and pre-paid and amount and memory and area and determine and dynamic and client and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 15:16

-	13	telecommunications and terminal and device and pre-paid and amount and memory and area and configured and store and pre-paid and amount and money and first and profile and memory and area and processor and configured and debit and pre-paid and amount and money and pre-paid and amount and memory and area	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 15:39
-	2	6640239.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 15:39
-	2	6320947.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/24 16:46
-	12	chipcard and configured and telecommunications and device and first and profile and memory and area and configured and store and dynamic and client and profile and one and random and variable and previous and connections and customer and processor and configured and change and dynamic and client and profile and connection and determine and usage and fee and new and connections and dynamic and client and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 12:43
-	12	chipcard and configured and telecommunications and device and first and profile and memory and area and configured and store and dynamic and client and profile and one and random and variable and previous and connections and customer and processor and configured and change and dynamic and client and profile and connection and determine and usage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 12:43
-	12	chipcard and configured and telecommunications and device and first and profile and memory and area and configured and store and dynamic and client and profile and one and random and variable and previous and connections and customer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 12:43

-	12	chipcard and configured and telecommunications and device and first and profile and memory and area and configured and store and dynamic and client and profile and one and random	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 12:44
-	21	chipcard and configured and telecommunications and device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 14:42
-	946	billing and system and determining and telecommunications and network and usage and fees	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 14:43
-	0	billing with system with determining with telecommunications with network with usage with fees	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 14:44
-	0	billing with system with determining with telecommunications with network with usage and fees	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 14:44
-	0	billing with system with determining with telecommunications with network and usage and fees	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 14:44
-	2	billing with system with determining with telecommunications and network and usage and fees	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 14:46
-	44	billing with system with determining and telecommunications and network and usage and fees	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 15:13
-	427	data and carrier and first and profile and storing and means and storing and dynamic and client and profile and least and one and customer and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 15:16

-	91	data with carrier with first and profile and storing and means and storing and dynamic and client and profile and least and one and customer and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 15:17
-	0	data with carrier with first with profile and storing and means and storing and dynamic and client and profile and least and one and customer and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 15:17
-	91	data with carrier with first and profile and storing and means and storing and dynamic and client and profile and least and one and customer and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 15:35
-	0	data adj carrier with first and profile and storing and means and storing and dynamic and client and profile and least and one and customer and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 15:36
-	35	data adj carrier and first and profile and storing and means and storing and dynamic and client and profile and least and one and customer and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/25 15:38
-	2	6320947.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:06

-	0	second near5 profile near5 memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall and client and profile and derived and multiple and random and variables and previous and connections and least and one and group and customers and digital and telecommunications and network and stored and overall and client and profile and being and adapted and dynamically	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:11
-	0	second near5 profile near5 memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall and client and profile and derived and multiple and random and variables and previous and connections and least and one and group and customers and digital and telecommunications and network and stored and overall and client and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:11
-	0	second near5 profile near5 memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall and client and profile and derived and multiple and random and variables and previous and connections and least and one and group and customers and digital and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:12
-	0	second with profile with memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall and client and profile and derived and multiple and random and variables and previous and connections and least and one and group and customers and digital and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:12

-	280	second and profile and memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall and client and profile and derived and multiple and random and variables and previous and connections and least and one and group and customers and digital and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:12
-	6	second with profile and memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall and client and profile and derived and multiple and random and variables and previous and connections and least and one and group and customers and digital and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:13
-	6	second with profile and memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall and client and profile and derived and multiple and random and variables and previous and connections and least and one	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:14
-	12	second with profile and memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:19
-	9	second near5 profile and memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:26
-	98	second near5 profile and memory and area and fee and amount and new and connections and determined and based	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:26
-	28	second near profile and memory and area and fee and amount and new and connections and determined and based	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:27

-	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and rederiving and dynamic and client and profile and new and connections and customer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:23
-	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving and dynamic and client and profile and new and connections and customer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:19
-	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving and dynamic and client and profile and new and connections and customer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:20
-	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving and dynamic and client and profile and new and connections	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:20
-	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving and dynamic and client and profile and new	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:20
-	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving and dynamic and client and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:20
-	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving and dynamic and client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:21

-	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving and dynamic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:21
-	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:21
-	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and rederiving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:21
-	0	billing and method and deriving and dynamic and client and profile and one and random and variable and connections and rederiving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:21
-	0	billing and method and deriving and dynamic and client and profile and one and random and connections and rederiving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:22
-	0	billing and method and deriving and dynamic and client and profile and random and connections and rederiving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:22
-	0	billing and deriving and dynamic and client and profile and random and connections and rederiving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:22
-	415	billing and deriving and dynamic and client and profile and random and connections	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:22
-	320	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and new and connections and customer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:23

-	320	(billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and new and connections and customer) and (billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and new and connections and customer re-deriving)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:24
-	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and new and connections and customer and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:24
-	347	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and new and connections and customer re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:26
-	318	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and new and connections and customer re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:26

-	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and new and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:27
-	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:27
-	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:27
-	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:27
-	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:27

-	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:28
-	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:28
-	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:28
-	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:28
-	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:28
-	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:29
-	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:29

-	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:29
-	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:29
-	0	billing and method and telecommunications and deriving and dynamic and client and profile and random and variable and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:29
-	0	billing and method and telecommunications and deriving and dynamic and client and random and variable and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:30
-	0	billing and method and telecommunications and deriving and dynamic and random and variable and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:30
-	0	billing and method and telecommunications and deriving and random and variable and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:30
-	0	billing and method and telecommunications and deriving and variable and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:31
-	0	billing and method and telecommunications and deriving and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:31
-	0	billing and method and telecommunications and deriving and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:31
-	0	billing and telecommunications and deriving and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:31

-	4	telecommunications and deriving and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:36
-	2	profile and deriving and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:44
-	2	6535591.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:45
-	32	billing and method and updating and client and profile and value and proportional and average and duration and price and connection and customer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 17:19
-	0	rederiving and dynamic and client and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 17:19
-	0	re-deriving and dynamic and client and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 17:20
-	0	re-deriving and dynamic and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 17:20
-	2	re-deriving and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 17:20
-	306	automatic adj fare adj collection adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:42
-	30	automatic adj fare adj collection adj system adj toll adj road	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:43

-	1	communication adj charge adj collection adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:44
-	14	money adj collecting adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/07 18:44
-	12903	template and associated and stored and record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:32
-	2118	template with associated and stored and record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:32
-	320	template with associated with stored and record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:33
-	36	template with associated with stored with record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:52
-	416	key and substitution and label and value and associated with value and entry and field and template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:53
-	1	key with substitution with label and value and associated with value and entry and field and template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 10:54
-	31	key with substitution and label and value and associated with value and entry and field and template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 11:01
-	57	key and substitution and label and value and associated with value and entry and field with template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 11:43

-	3	key with substitution with label and value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 12:47
-	43	reading and template and determine and data and extracted and assigning and label and variable and name and inbound and document and variable and name and inbound and document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:11
-	1	reading and template and determine and data and extracted and assigning near label near variable and name and inbound and document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:12
-	1	reading and template and determine and data and extracted and assigning near label near variable and name and inbound	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:12
-	1	template and determine and data and extracted and assigning near label near variable and name and inbound	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:12
-	1	template and determine and data and extracted and assigning near5 label near5 variable and name and inbound	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:13
-	1	template and determine and data and extracted and assigning with label with variable and name and inbound	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:13
-	1	template and determine and data and extracted and assigning with label with variable and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:13
-	2	determine and data and extracted and assigning with label with variable and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:33
-	3	data and extracted and assigning with label with variable and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:34

-	3	extracted and assigning with label with variable and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 13:34
-	8	assigning with label with variable and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 14:50

	Type	L #	Hits	Search Text
1	BRS	L1	1	templates with retrieved and map and component and file and associated and interworking and standard and inbound and document
2	BRS	L2	13	templates and retrieved and map and component and file and associated and interworking and standard and inbound and document
3	BRS	L3	3105	templates and retrieved and map and component and file
4	BRS	L4	1	templates with retrieved with map with component with file
5	BRS	L5	1	templates with retrieved with map with component and file
6	BRS	L6	4	templates with retrieved with map and component and file
7	BRS	L7	41	interworking and standard and inbound and document
8	BRS	L9	1	interworking with standard with inbound and document
9	BRS	L8	11	interworking with standard and inbound and document

	DBs	Time Stamp	Comments	Error Definition	Errors
1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 14:51			0
2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 14:55			0
3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 14:56			0
4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 14:56			0
5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 14:56			0
6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 15:13			0
7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 15:13			0
8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 15:14			0
9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/08 15:14			0

	Type	Hits	Search Text	DBs
1	BRS	7	("5818725" "6721716" "6535591").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	18	telecommunications and terminal and device and pre-paid and amount and memory and area and configured and store and amount and money and first and profile and memory and area and processor and debit and pre-paid and amount and money and pre-paid and amount and memory area and determine and dynamic and client and profile and one and more and random and variables and previous and connections and customer and store and dynamic and client and profile and first and profile and memory and area and determine and amount and new and connections and based and dynamic and client and profile and debit and amount and new and connections and pre-paid and amount and memory and area and connection and established	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	888	dynamic and client and profile and telecommunications and billing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	11	dynamic with client with profile and telecommunications and billing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
1	2004/06/24 13:50			0
2	2004/06/24 12:42			0
3	2004/06/24 13:51			0
4	2004/06/24 14:12			0

	Type	Hits	Search Text	DBs
5	BRS	0	<p>telecommunications and terminal and device</p> <p>and pre-paid and amount and memory and area and configured and store and pre-paid and amount and money and first and profile and memory and area</p> <p>and processor and configured and debit and pre-paid and amount and money and pre-paid and amount and memory and area</p> <p>and determine and dynamic and client and profile</p> <p>and random and variables and previous and connections and customer and store and dynamic and client and profile and first and profile and memory and area and determine and amount and new and connections and based and dynamic and client and profile and</p> <p>debit and amount and new and connections and pre-paid and amount and memory and when and connection and established</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>

	Time Stamp	Comments	Error Definition	Errors
5	2004/06/24 14:25			0

	Type	Hits	Search Text	DBs
6	BRS	3	<p>telecommunications and terminal and device</p> <p>and pre-paid and amount and memory and area and configured and store and pre-paid and amount and money and first and profile and memory and area</p> <p>and processor and configured and debit and pre-paid and amount and money and pre-paid and amount and memory and area</p> <p>and determine and dynamic and client and profile</p> <p>and random and variables and previous and connections and customer and store and dynamic and client and profile and first and profile and memory and area and determine and amount and new and connections and based and dynamic and client and profile</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>
7	BRS	3	<p>telecommunications and terminal and device</p> <p>and pre-paid and amount and memory and area and configured and store and pre-paid and amount and money and first and profile and memory and area</p> <p>and processor and configured and debit and pre-paid and amount and money and pre-paid and amount and memory and area</p> <p>and determine and dynamic and client and profile</p> <p>and random and variables and previous and connections and customer and store and dynamic and client and profile and first and profile and memory and area and determine and amount and new</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>

	Time Stamp	Comments	Error Definition	Errors
6	2004/06/24 14:43			0
7	2004/06/24 14:45			0

	Type	Hits	Search Text	DBs
8	BRS	3	<p>telecommunications and terminal and device</p> <p>and pre-paid and amount and memory and area and configured and store and pre-paid and amount and money and first and profile and memory and area</p> <p>and processor and configured and debit and pre-paid and amount and money and pre-paid and amount and memory and area</p> <p>and determine and dynamic and client and profile</p> <p>and random and variables and previous and connections and customer</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>
9	BRS	4	<p>telecommunications and terminal and device</p> <p>and pre-paid and amount and memory and area and configured and store and pre-paid and amount and money and first and profile and memory and area</p> <p>and processor and configured and debit and pre-paid and amount and money and pre-paid and amount and memory and area</p> <p>and determine and dynamic and client and profile</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>
10	BRS	4	<p>telecommunications and terminal and device</p> <p>and pre-paid and amount and memory and area and configured and store and pre-paid and amount and money and first and profile and memory and area</p> <p>and processor and configured and debit and pre-paid and amount and money and pre-paid and amount and memory and area</p> <p>and determine and dynamic and client and profile</p>	<p>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</p>

	Time Stamp	Comments	Error Definition	Errors
8	2004/06/24 14:57			0
9	2004/06/24 14:59			0
10	2004/06/24 15:16			0

	Type	Hits	Search Text	DBs
11	BRS	13	telecommunications and terminal and device and pre-paid and amount and memory and area and configured and store and pre-paid and amount and money and first and profile and memory and area and processor and configured and debit and pre-paid and amount and money and pre-paid and amount and memory and area	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	2	6640239.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	2	6320947.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	12	chipcard and configured and telecommunications and device and first and profile and memory and area and configured and store and dynamic and client and profile and one and random and variable and previous and connections and customer and processor and configured and change and dynamic and client and profile and connection and determine and usage and fee and new and connections and dynamic and client and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	12	chipcard and configured and telecommunications and device and first and profile and memory and area and configured and store and dynamic and client and profile and one and random and variable and previous and connections and customer and processor and configured and change and dynamic and client and profile and connection and determine and usage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
11	2004/06/24 15:39			0
12	2004/06/24 15:39			0
13	2004/06/24 16:46			0
14	2004/06/25 12:43			0
15	2004/06/25 12:43			0

	Type	Hits	Search Text	DBs
16	BRS	12	chipcard and configured and telecommunications and device and first and profile and memory and area and configured and store and dynamic and client and profile and one and random and variable and previous and connections and customer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	12	chipcard and configured and telecommunications and device and first and profile and memory and area and configured and store and dynamic and client and profile and one and random	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	21	chipcard and configured and telecommunications and device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	946	billing and system and determining and telecommunications and network and usage and fees	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	0	billing with system with determining with telecommunications with network with usage with fees	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	0	billing with system with determining with telecommunications with network with usage and fees	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	0	billing with system with determining with telecommunications with network and usage and fees	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	2	billing with system with determining with telecommunications and network and usage and fees	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
16	2004/06/25 12:43			0
17	2004/06/25 12:44			0
18	2004/06/25 14:42			0
19	2004/06/25 14:43			0
20	2004/06/25 14:44			0
21	2004/06/25 14:44			0
22	2004/06/25 14:44			0
23	2004/06/25 14:46			0

	Type	Hits	Search Text	DBs
24	BRS	44	billing with system with determining and telecommunications and network and usage and fees	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	427	data and carrier and first and profile and storing and means and storing and dynamic and client and profile and least and one and customer and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	91	data with carrier with first and profile and storing and means and storing and dynamic and client and profile and least and one and customer and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	0	data with carrier with first with profile and storing and means and storing and dynamic and client and profile and least and one and customer and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	91	data with carrier with first and profile and storing and means and storing and dynamic and client and profile and least and one and customer and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	0	data adj carrier with first and profile and storing and means and storing and dynamic and client and profile and least and one and customer and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
24	2004/06/25 15:13			0
25	2004/06/25 15:16			0
26	2004/06/25 15:17			0
27	2004/06/25 15:17			0
28	2004/06/25 15:35			0
29	2004/06/25 15:36			0

	Type	Hits	Search Text	DBs
30	BRS	35	data adj carrier and first and profile and storing and means and storing and dynamic and client and profile and least and one and customer and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	2	6320947.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	0	second near5 profile near5 memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall and client and profile and derived and multiple and random and variables and previous and connections and least and one and group and customers and digital and telecommunications and network and stored and overall and client and profile and being and adapted and dynamically	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	0	second near5 profile near5 memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall and client and profile and derived and multiple and random and variables and previous and connections and least and one and group and customers and digital and telecommunications and network and stored and overall and client and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
30	2004/06/25 15:38			0
31	2004/06/28 14:06			0
32	2004/06/28 14:11			0
33	2004/06/28 14:11			0

	Type	Hits	Search Text	DBs
34	BRS	0	second near5 profile near5 memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall and client and profile and derived and multiple and random and variables and previous and connections and least and one and group and customers and digital and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	0	second with profile with memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall and client and profile and derived and multiple and random and variables and previous and connections and least and one and group and customers and digital and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	280	second and profile and memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall and client and profile and derived and multiple and random and variables and previous and connections and least and one and group and customers and digital and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
34	2004/06/28 14:12			0
35	2004/06/28 14:12			0
36	2004/06/28 14:12			0

	Type	Hits	Search Text	DBs
37	BRS	6	second with profile and memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall and client and profile and derived and multiple and random and variables and previous and connections and least and one and group and customers and digital and telecommunications and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	6	second with profile and memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall and client and profile and derived and multiple and random and variables and previous and connections and least and one	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	12	second with profile and memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	9	second near5 profile and memory and area and fee and amount and new and connections and determined and based and statistical and dynamic and overall and client and profile and stored and second and profile and memory and area and overall	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	98	second near5 profile and memory and area and fee and amount and new and connections and determined and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	28	second near profile and memory and area and fee and amount and new and connections and determined and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
37	2004/06/28 15:13			0
38	2004/06/28 15:14			0
39	2004/06/28 15:19			0
40	2004/06/28 15:26			0
41	2004/06/28 15:26			0
42	2004/06/28 15:27			0

	Type	Hits	Search Text	DBs
43	BRS	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and rederiving and dynamic and client and profile and new and connections and customer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving and dynamic and client and profile and new and connections and customer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving and dynamic and client and profile and new and connections and customer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving and dynamic and client and profile and new and connections	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving and dynamic and client and profile and new	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
43	2004/07/01 16:23			0
44	2004/07/01 16:19			0
45	2004/07/01 16:20			0
46	2004/07/01 16:20			0
47	2004/07/01 16:20			0

	Type	Hits	Search Text	DBs
48	BRS	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving and dynamic and client and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving and dynamic and client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
50	BRS	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving and dynamic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and rederiving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
52	BRS	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and rederiving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	0	billing and method and deriving and dynamic and client and profile and one and random and variable and connections and rederiving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	0	billing and method and deriving and dynamic and client and profile and one and random and connections and rederiving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	0	billing and method and deriving and dynamic and client and profile and random and connections and rederiving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
48	2004/07/01 16:20			0
49	2004/07/01 16:21			0
50	2004/07/01 16:21			0
51	2004/07/01 16:21			0
52	2004/07/01 16:21			0
53	2004/07/01 16:21			0
54	2004/07/01 16:22			0
55	2004/07/01 16:22			0

	Type	Hits	Search Text	DBs
56	BRS	0	billing and deriving and dynamic and client and profile and random and connections and rederiving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	BRS	415	billing and deriving and dynamic and client and profile and random and connections	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	BRS	320	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and new and connections and customer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	BRS	320	(billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and new and connections and customer re-deriving)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
56	2004/07/01 16:22			0
57	2004/07/01 16:22			0
58	2004/07/01 16:23			0
59	2004/07/01 16:24			0

	Type	Hits	Search Text	DBs
60	BRS	0	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and new and connections and customer and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	347	billing and method and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and new and connections and customer re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	318	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and new and connections and customer re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and new and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
60	2004/07/01 16:24			0
61	2004/07/01 16:26			0
62	2004/07/01 16:26			0
63	2004/07/01 16:27			0

	Type	Hits	Search Text	DBs
64	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and profile and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and client and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and dynamic and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
67	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and area and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
64	2004/07/01 16:27			0
65	2004/07/01 16:27			0
66	2004/07/01 16:27			0
67	2004/07/01 16:27			0

	Type	Hits	Search Text	DBs
68	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and memory and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and profile and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and client and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and dynamic and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and storing and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
68	2004/07/01 16:28			0
69	2004/07/01 16:28			0
70	2004/07/01 16:28			0
71	2004/07/01 16:28			0
72	2004/07/01 16:28			0

	Type	Hits	Search Text	DBs
73	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and customer and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and previous and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and one and random and variable and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
77	BRS	0	billing and method and telecommunications and deriving and dynamic and client and profile and random and variable and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
78	BRS	0	billing and method and telecommunications and deriving and dynamic and client and random and variable and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
79	BRS	0	billing and method and telecommunications and deriving and dynamic and random and variable and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
80	BRS	0	billing and method and telecommunications and deriving and random and variable and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
73	2004/07/01 16:29			0
74	2004/07/01 16:29			0
75	2004/07/01 16:29			0
76	2004/07/01 16:29			0
77	2004/07/01 16:29			0
78	2004/07/01 16:30			0
79	2004/07/01 16:30			0
80	2004/07/01 16:30			0

	Type	Hits	Search Text	DBs
81	BRS	0	billing and method and telecommunications and deriving and variable and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	BRS	0	billing and method and telecommunications and deriving and connections and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
83	BRS	0	billing and method and telecommunications and deriving and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
84	BRS	0	billing and telecommunications and deriving and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
85	BRS	4	telecommunications and deriving and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
86	BRS	2	profile and deriving and re-deriving	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
87	BRS	2	6535591.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
88	BRS	32	billing and method and updating and client and profile and value and proportional and average and duration and price and connection and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
89	BRS	0	rederiving and dynamic and client and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
90	BRS	0	re-deriving and dynamic and client and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
91	BRS	0	re-deriving and dynamic and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
92	BRS	2	re-deriving and profile	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93	BRS	306	automatic adj fare adj collection adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
94	BRS	30	automatic adj fare adj collection adj system adj toll adj road	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
81	2004/07/01 16:31			0
82	2004/07/01 16:31			0
83	2004/07/01 16:31			0
84	2004/07/01 16:31			0
85	2004/07/01 16:36			0
86	2004/07/01 16:44			0
87	2004/07/01 16:45			0
88	2004/07/01 17:19			0
89	2004/07/01 17:19			0
90	2004/07/01 17:20			0
91	2004/07/01 17:20			0
92	2004/07/01 17:20			0
93	2004/07/07 18:42			0
94	2004/07/07 18:43			0

	Type	Hits	Search Text	DBs
95	BRS	1	communication adj charge adj collection adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
96	BRS	14	money adj collecting adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
97	BRS	12903	template and associated and stored and record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
98	BRS	2118	template with associated and stored and record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
99	BRS	320	template with associated with stored and record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
100	BRS	36	template with associated with stored with record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
101	BRS	416	key and substitution and label and value and associated with value and entry and field and template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
102	BRS	1	key with substitution with label and value and associated with value and entry and field and template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
103	BRS	31	key with substitution and label and value and associated with value and entry and field and template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
104	BRS	57	key and substitution and label and value and associated with value and entry and field with template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
105	BRS	3	key with substitution with label and value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
95	2004/07/07 18:44			0
96	2004/07/07 18:44			0
97	2004/07/08 10:32			0
98	2004/07/08 10:32			0
99	2004/07/08 10:33			0
100	2004/07/08 10:52			0
101	2004/07/08 10:53			0
102	2004/07/08 10:54			0
103	2004/07/08 11:01			0
104	2004/07/08 11:43			0
105	2004/07/08 12:47			0

	Type	Hits	Search Text	DBs
106	BRS	43	reading and template and determine and data and extracted and assigning and label and variable and name and inbound and document and variable and name and inbound and document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
107	BRS	1	reading and template and determine and data and extracted and assigning near label near variable and name and inbound and document	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
108	BRS	1	reading and template and determine and data and extracted and assigning near label near variable and name and inbound	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
109	BRS	1	template and determine and data and extracted and assigning near label near variable and name and inbound	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
110	BRS	1	template and determine and data and extracted and assigning near5 label near5 variable and name and inbound	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
111	BRS	1	template and determine and data and extracted and assigning with label with variable and name and inbound	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
112	BRS	1	template and determine and data and extracted and assigning with label with variable and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
113	BRS	2	determine and data and extracted and assigning with label with variable and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
114	BRS	3	data and extracted and assigning with label with variable and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
115	BRS	3	extracted and assigning with label with variable and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
116	BRS	8	assigning with label with variable and name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
106	2004/07/08 13:11			0
107	2004/07/08 13:12			0
108	2004/07/08 13:12			0
109	2004/07/08 13:12			0
110	2004/07/08 13:13			0
111	2004/07/08 13:13			0
112	2004/07/08 13:13			0
113	2004/07/08 13:33			0
114	2004/07/08 13:34			0
115	2004/07/08 13:34			0
116	2004/07/08 14:50			0